FilmL.A., Inc.
6255 W Sunset Blvd, 12th Floor
Hollywood, CA 90028
t: (213)977-8600 - f: (213)977-8601
www.filmla.com

Summary Information

Permit No: F00159367-E **Type of Permit:** FILMING **Release Date:** 01/27/2020

Production Company	DDLL DONUT, LLC DBPD PRODUCTIONS
Insured Company Name	DDLL DONUT, LLC DBPD PRODUCTIONS
Contact Phone No. 1	602-625-0504
Contact Phone No. 2	N/A
Fax	N/A
Address	200 N AVE 66 LOS ANGELES, California 90042
Production Title	OWL MOON
Type of Production	TV Webisode/Mobisode/Podcast

Producer	Nicole Flores
Director	Ben Kasule
1st AD	Cory Johnson
Production Manager	Nicole Flores
FilmL.A. Coordinator	Kristin Weber
Location Manager	Nicole Flores
Primary Phone	Mobile - 508-558-9692
Secondary Phone	
Location Assistant	Pedro Peres
Primary Phone	Mobile - 857-206-2191
Secondary Phone	

Fees

Posting 300 $97.52

Total Permit Fee $97.52

Number of Locations 1

NOT A PERMIT

FilmL.A., Inc.
6255 W Sunset Blvd, 12th Floor
Hollywood, CA 90028
t: (213)977-8600 - f: (213)977-8601
www.filmla.com

Summary Information

Location

Permit Number F00159367-E
Production Company DDLL DONUT, LLC DBPD PRODUCTIO...
Insured Company DDLL DONUT, LLC DBPD PRODUCTIO...
Production Title OWL MOON

Location Manager Nicole Flores
Primary Phone Mobile - 508-558-9692
Secondary Phone

Location Address 17328 Parthenia St, Los Angeles, CA, 91325

Location Type Private Residence

Film Dates
12/3/2019 - 12/4/2019 05:00 - 01:00 2 days
12/4/2019 - 12/5/2019 05:00 - 01:00 2 days
12/5/2019 - 12/6/2019 05:00 - 01:00 2 days
12/6/2019 - 12/7/2019 05:00 - 01:00 2 days
12/7/2019 - 12/8/2019 05:00 - 01:00 2 days
12/8/2019 - 12/9/2019 05:00 - 01:00 2 days
12/9/2019 - 12/10/2019 05:00 - 01:00 2 days
12/10/2019 - 12/11/2019 05:00 - 01:00 2 days
12/11/2019 - 12/12/2019 05:00 - 01:00 2 days
12/12/2019 - 12/13/2019 05:00 - 01:00 2 days
12/13/2019 - 12/14/2019 05:00 - 01:00 2 days

Open or Closed to the Public Closed

Generic Conditions
THE CONSUMPTION OF ALCOHOLIC BEVERAGES AND THE USE OF DRUGS, INCLUDING MARIJUANA, ON LOCATION BY ANY CAST, CREW, OR INVITED GUESTS IS STRICTLY PROHIBITED.
*LA CITY AND/OR LA COUNTY FIRE CHECKLIST ATTACHED TO FINAL PERMIT. THE PERMITTEE IS RESPONSIBLE FOR COMPLETING CHECKLIST PRIOR TO FILMING ACTIVITY AT THIS LOCATION. NON COMPLIANCE MAY RESULT IN ASSIGNMENT OF A FIRE OFFICER.
Community Survey Obtained
Equipment staging and vehicles may park on one side of the street only.
Must Maintain 5' Clearance on Sidewalks/Walkways
Must maintain local/emergency access
No cast or crew parking on area streets
No interference with merchant activity.
No interference with vehicular or pedestrian traffic
No Parking in handicap spaces at anytime.
No stopping or setting up in front of merchants or residents without prior approval

Please see attached documents
LAFD FILM - Fire Safety Inspection Checklist 2017.pdf
HAZARD - Honda Generator Recall EU2000i.pdf
12.06.19 U 29554 AD.pdf

Equipment on Location

Type	Quantity
5 Ton Truck	1
Cast/Crew vehicles	40
Cube Trucks	2
Generator	1
Honey Wagons	1
Picture vehicles	2
Stakebed Trucks	1
Trailers	1

Personnel on Location

Type	Quantity
Cast	7
Crew	35
Spot Check	1

Filming Activities Atmospheric smoke effects (water based); Equipment on property; Handheld equipment; Interior and exterior dialogue;

Special Effects: F/X Permit # 29554

Type	No. Times Per Day	No. Takes Per Take

NOT A PERMIT

FilmL.A., Inc.
6255 W Sunset Blvd, 12th Floor
Hollywood, CA 90028
t: (213)977-8600 - f: (213)977-8601
www.filmla.com

Summary Information — Location

Permit Number F00159367-E
Production Company DDLL DONUT, LLC DBPD PRODUCTIO...
Insured Company DDLL DONUT, LLC DBPD PRODUCTIO...
Production Title OWL MOON

Location Manager Nicole Flores
Primary Phone Mobile - 508-558-9692
Secondary Phone

Fire Effects	6 - 10	6 - 10
Smoking Cigarettes	6 - 10	6 - 10

Description of F/X Scene: TEN TAKES, SIX ADULT ACTORS AROUND FIRE PIT (2.5 DIAMETER), SAFE DISTANCE AWAY FROM PERSONS
AND OBJECTS, NO MINORS. ACTORS SMOKING ON CAMERA

Jurisdiction **Political:** Los Angeles City - Council District 12 **Police:** Los Angeles Police Department **Fire:** Los Angeles City

Thomas Guide **Page:** 531 **Grid:** B1

Coordinator Note LAFD SPOT CHECK APPROVED FOR FILMING PER INSP. MOREL.
NO SMOKE DETECTOR/ALARM BYPASS WITHOUT UFSO
NO SMOKING.
NO HONDA EU2000i GENERATOR with a serial number between EAAJ-2260273 to EAAJ-2485025, (See attached SAFETY AND EMISSIONS RECALL NOTICE)
Generator in safe place on noncombustible surface, 20 feet away from brush.
Fire extinguisher in filming area every 75 feet

Parking

Base Camp 17326 Parthenia St, Northridge, CA, 91325
Location Type : Other Location

Crew Parking 17326 Parthenia St, Northridge, CA, 91325
Location Type : Other Location

Parking Notes
BASE CAMP AND ALL CAST, CREW, PERSONAL AND EXTRAS VEHICLE PARKING WILL BE ON (PRIVATE) PROPERTY ONLY - ABSOLUTELY NO CAST, CREW, EXTRAS, AUDIENCE OR PERSONAL VEHICLES TO BE PARKED ON AREA STREETS, ROADS (INCLUDING SHOULDERS) OR ALLEYS.

Posting "No Parking" signs LINE ITEM CREATED FOR POSTED PARKING WORK ORDER 264144 TO COLLECT FEES

Approximate Footage 0 - 300 **Log Number** 264144

Date(s) 1/24/2020 to 1/24/2020 **Time(s)** 00:00 to 00:00

NOT A PERMIT

Permit #F00159367-E

LOS ANGELES FIRE DEPARTMENT
Bureau of Fire Prevention & Public Safety
FILM UNIT
200 N. Main Street, Suite 1710
Los Angeles, CA 90012
lafdfilm@lacity.org

FILM LOCATION FIRE SAFETY INSPECTION CHECKLIST

FilmLA Permit #:	Date of Filming:
Production Name:	Location Address:

THIS CHECKLIST SHALL BE COMPLETED DAILY FOR EACH PERMITTED FILMING LOCATION AND A HARDCOPY SHALL BE AVAILABLE WITH A COPY OF THE FILM PERMIT. This checklist shall be provided to any Los Angeles Fire Department Inspector visiting the filming location.

INSTRUCTIONS: ***Indicate "YES", "NO" or "N/A" (i.e. Not Applicable) for every numbered item below****. For each "NO" answer, corrective actions must be noted and executed before filming can continue.*

	ACCESS / FIRE PROTECTION	YES	NO	N/A
1	**911 Reporting:** Methods of reporting an emergency are available (e.g. mobile phone, landline, etc.)			
2	**Clearance (Fire Equipment):** Fire hydrants, extinguishers, sprinklers & standpipe connections are readily accessible and clear of all equipment & vehicles (e.g. no parking in front of hydrants, nothing hung from sprinklers, etc.)			
3	**Clearance (Fire Lanes):** Fire lane access must be maintained (***20 feet wide***)			
4	**Extinguishers:** Extinguishers present (***2A-10BC min. rating***), serviced, ready for use and ***within 75 ft. of travel***			
5	**Fire Equipment Bypass (e.g. alarm):** ***Fire alarm equipment shall not be disconnected without Fire Dept. approval***			

CORRECTIVE ACTION TO BE TAKEN:

	BASECAMP / CATERING / TENTS	YES	NO	N/A
6	**Extinguisher(s):** Catering trucks and cooking services provided with fire extinguishers (***2A-10BC minimum rating***)			
7	**Location (Cooking/Vehicles):** Catering located in safe area to operate; **Catering vehicles prohibited from cooking inside buildings, tents or other enclosures**			
8	**LPG Tanks (Cooking/Location/Protection)**: ***LPG cooking prohibited inside buildings; LPG tanks shall be stored outside;*** Portable LPG containers shall be stored within a suitable enclosure or otherwise protected against tampering			
9	**TENT Permit:** LAFD *'Specific Action or Project'* Permit for tent (or aggregate of tents) over ***700 sq. ft.*** *[**EXCEPTION**: Tent (or aggregate of tents) over 700 sq. ft. which are open on all sides and maintain a clearance of 12 feet to all structures or tents]*			
10	**TENT Specifications:** Tent complies with LA Fire Code (e.g. flame retardant, properly secured, etc.)			

CORRECTIVE ACTION TO BE TAKEN:

	ELECTRICAL & LIGHTING	YES	NO	N/A
11	**Clearance (3 ft. around Electrical Panels):** Maintain ***3 ft. clearance*** around electrical panels in buildings			
12	**Clearance (4 ft. Perimeter):** No distribution boxes or spiders within ***4 ft. perimeter*** unless approved by Fire Dept.			
13	**Cables, Cords & Connectors:** Cables properly protected, dressed and kept clear of possible of exits; cords and connectors of an approved type			
14	**Distance from Heat Sources:** Lighting adequately separated from flammable/combustible materials and surfaces			
15	**Generators (Inspected, Grounded/Insulated & Location):** Generators have been inspected, are grounded or insulated, and have been placed in approved locations (e.g. so that the exhaust will not enter buildings and/or heat from the exhaust will not cause a fire, etc.)			
16	**Grounded:** All electrical equipment, lighting, portable A/C, etc. shall be properly grounded			
17	**Hookup to Panel (Permit & Over-Current Hookup):** Electrical panel hookup must be done with a permit from L.A. Dept. of Building & Safety; hookup must be linked to over-current protection device			
18	**Water/Damp Areas:** Ground Fault Circuit Interrupters (GFCI) in use when cables, cords and connectors are within 10 feet of a water hazard.			

CORRECTIVE ACTION TO BE TAKEN:

	EXITING	YES	NO	N/A
19	**Clearance (Exiting):** ***Production equipment may not obstruct any part of the exiting system.*** All designated fire, emergency and regular exits shall be kept clear & unobstructed, including aisles, corridors, doors (i.e. regular exit doors, fire doors, etc.), hallways, sidewalks, stairways, etc., and the ***4 ft. perimeter*** around applicable sets.			
20	**Fire Escapes:** ***Fire escapes cannot be used for storage or operational activity***, and must be kept clear as escape routes			
21	**Roof/Basement/Mezzanine:** Roof, basement, mezzanine areas ***limited to 10 persons*** without Fire Dept. approval			
22	**Visible:** All exits must be adequate, visible, lit and well-marked			

CORRECTIVE ACTION TO BE TAKEN:

NOT A PERMIT

FLAMMABLE/COMBUSTIBLE LIQUIDS & GASES		YES	NO	N/A
23	**Distance from Heat Sources:** Flammable/combustible liquids and gases kept ***25 feet away*** from heat sources			
24	**Pressurized Gas (Hoses/Valves):** Approved hoses and valves used for pressurized gases (e.g. propane)			
25	**Refueling (Permit/Location/Vessels Bonded/Stop Motor):** Refueling vehicle must possess a valid LAFD *'Specific Action or Project'* permit; refueling must be conducted in approved area; supply and receiving vessels bonded together; *NO refueling while equipment is in operation.* ***No smoking within 25 feet of vehicle.***			
26	**Spray Painting/Lacquer Application & Cleanup:** Spray painting and lacquer application approved and performed safely in a properly ventilated area to prevent flammable vapors from accumulating. Rags used with paints solvents and other flammables shall be safely disposed of in containers with a tight-fitting lid.			
27	**Storage (Approved Containers, Secured, "NO SMOKING" Signage):** Proper storage of flammable liquids in approved containers (***Max. 5-gallon containers***); pressure vessels secured and stored with "No Smoking" signs, and protected from vehicle traffic			
	CORRECTIVE ACTION TO BE TAKEN:			

PYROTECHNIC SPECIAL EFFECTS (SPFX) & SPECIAL PERMITS		YES	NO	N/A
28	**Extinguishers:** Fire extinguishers provided by pyrotechnic operator onsite, charged and in good working order			
29	**License:** Proper license in possession of pyrotechnic operator			
30	**Permit:** LAFD *'Special Permit'* required for open flame (e.g. candles), hot work, pyrotechnics, etc.			
31	**Safety Meeting:** A safety meeting shall be conducted prior to pyrotechnic activity			
32	**SPFX Used as Per Permit:** Special effects used as per LAFD *'Special Permit'*			
	CORRECTIVE ACTION TO BE TAKEN:			

SETS/CONSTRUCTION		YES	NO	N/A
33	**Auto/Motor Craft on Stage:** LAFD ***'Special Permit' (F-315-G)*** required; fuel in tank not to exceed ***1/4 tank or 5 gallons (whichever is less)***; fuel tanks and fill openings closed & sealed to prevent tampering; no fueling/de-fueling within building; batteries disconnected on applicable auto/motor craft			
34	**Clean Work Area (Saw Dust & Scraps):** Light combustibles in carpenter shop and other work areas removed frequently			
35	**Distance from Brush:** Sets must be at least ***20 feet from brush***			
36	**Flame Retardant:** Curtains, backdrops, window covering, trees, bushes, hay, etc., if not fresh must be flame retardant			
37	**NO SMOKING:** Set construction areas kept clean with "NO SMOKING" signs			
38	**Sets Requiring LAFD Approval:** Sets requiring Fire Dept. approval are (1) Interior Raised Floor > 600 sq. ft. (2) Hard Ceiling > 600 sq. ft. (3) Foam sets (4) Sets impacted by SPFX			
	CORRECTIVE ACTION TO BE TAKEN:			

SMOKING (DESIGNATED & NO SMOKING AREAS)		YES	NO	N/A
39	**DESIGNATED SMOKING (Location):** Where smoking areas are allowed, those areas are clearly marked and supplied with butt cans			
40	**NO SMOKING (Signage):** "NO SMOKING" signs prominently visible where smoking is prohibited			
41	**NO SMOKING (Prohibited Areas = Near Brush, SPFX & Flammables/Combustibles):** Smoking ***prohibited*** near brush, pyrotechnics/special effects, flammable liquid storage and dispensing areas			
	CORRECTIVE ACTION TO BE TAKEN:			

Failure to comply with the requirements identified within this document may result in the dispatch of a UFSO, the revocation of permit and/or cancellation of film production. [LAMC 57.104.18, 57.105.5, 57.4807.1]

Should LAFD inspectors need further information regarding the completion of this form, please contact:

Signature _____ **Phone Number** _____

Print Name _____ **Title** _____

LAFD Inspector Signature _____

NOT A PERMIT

American Honda Motor Co., Inc. Permit #F00159367-E

SAFETY AND EMISSIONS RECALL NOTICE

EU2000i Portable Generators

FUEL TUBE LEAK

Check below to see if your generator is affected by this recall.

Serial Number Location

Affected Model	Start Serial Number	End Serial Number
EU2000i	EAAJ-2260273	EAAJ-2485025

Units previously inspected/repaired are no longer part of this recall.
They can be identified as follows:

Boxed generators are identified by a "green dot" located on the carton.

Also, one of the markings shown to the right, located inside the spark plug access cover.

Black dot

or Honda sticker 7D1 or 7D2



Consumers should immediately stop using the recalled generator and contact a Honda Power Equipment dealer to have it inspected/repaired free of charge.

What is the problem?

A tube clamp that connects a fuel tube to the bottom of the fuel tank may have been improperly positioned during assembly, and use of the generator may cause the clamp to wear a hole into an adjacent fuel tube. If the fuel tube is worn sufficiently, gasoline and gasoline vapors may leak out and a fire or explosion could occur.

What should you do?

Stop using any generator within the affected serial number range until it has been repaired. Please contact a servicing Honda Power Equipment dealer to make an appointment to have your generator inspected and if necessary repaired, free of charge. If you need assistance locating a servicing dealer, please visit our website: *www.PowerEquipment.Honda.com*, or call us at our recall line (888) 888-3139.

In cooperation with the U.S. Consumer Product Safety Commission,
California Air Resources Board, and the Environmental Protection Agency

DRAFT NOT PERMIT

Permit #F00159367-E

United States
CONSUMER PRODUCT SAFETY COMMISSION

American Honda Recalls Portable Generators Due to Fire and Burn Hazards

Serial Number Location

Recall Summary

Name of product:
Portable Generators

Hazard:
The generator's fuel hose can leak, posing fire and burn hazards.

Remedy:
Repair

Recall date:
November 15, 2012

Units:
About 150,600

Consumer Contact:
American Honda; Phone toll-free (888) 888-3139, 8:30 a.m. to 5 p.m. ET Monday through Friday, or online at http://powerequipment.honda.com and click on "Recalls and Updates" under "Service and Support" for more information.

NOT A PERMIT

Permit #F00159367-E

Recall Details

Description:

This recall involves Honda gasoline-powered portable generators with model number EU2000i and serial numbers EAAJ-2260273 through EAAJ-2485025. The generators are black and red in color or have a camouflage design. They measure about 20 inches long by 11 ? inches wide by 16 ? inches tall. "Honda," "EU converter" and the model number 2000i are printed on the side of the generator. "Companion" is printed on the side of some EU2000i models. The serial number is located on the lower right side, rear corner of the generator.

Remedy:

Consumers should immediately stop using the recalled generators and contact the nearest Honda Power Equipment dealer to schedule a free inspection and repair.

Incidents/Injuries:

Honda is aware of four incidents of fuel leaks. No fires or injuries have been reported.

Sold At:

Honda Power Equipment dealers, Camping World, Gander Mountain, Grainger, Hertz Rental, John Deere, National Pump & Compressor, Northern Tool, Scheels Sporting, Sportsman's Warehouse, Sunbelt Rentals, True Value, United Rentals, White Cap and Wholesale Sports store nationwide and online from October 2011 through September 2012 for between $1,150 and $1,400.

Manufactured In:

Japan

Recall number:

13-042

NOT A PERMIT

F-315-U

LOS ANGELES FIRE DEPARTMENT

Permit #F00159367-E

Permit No: 29554

Date Issue 12/2/2019

SPECIAL PERMIT TO USE SPECIAL EFFECTS

State Lic No 3665.07

Name:	ANTHONY DELZIO	Address:	8108 MT VERNON ST	Phone:	
Company:	DELZIO DESIGN	City:	LEMON GROVE	Mobile:	(619) 244-8943
Email:	delziodesign@gmail.com	State:	CA Zip: 91945	Fax:	

2nd Operator: 3665.07 ANTHONY DELZIO

Production Title: OWL MOON Production Company: DBP PROD.

Location: 17328 PARTHENIA ST

PERMISSION IS HEREBY GRANTED TO SIMULATE:

TEN TAKES, SIX ADULT ACTORS AROUND FIRE PIT (2.5' DIAMETER), SAFE DISTANCE AWAY FROM PERSONS AND OBJECTS, NO MINORS. ACTORS SMOKING ON CAMERA

USING THE FOLLOWING SPECIAL EFFECTS MATERIAL:

4-5 GAL PROPANE TANKS AND 3-PACKS OF HERBAL CIGARETTES

UNDER THE FOLLOWING CONDITIONS:

UNDER THE DIRECT SUPERVISION OF ANTHONY DELZIO, 3665.07 AND SPOT CHECK FOR EFFECTS ONLY FP# 158294

ADDITIONAL TERMS AND CONDITIONS

992.6 HSC RESPONSIBILITY. The Company representative shall provide to the authority having jurisdiction the name and license number of the special effects operator who shall have the authority, responsibility and be in charge of handling all Special Effects Material. The company representative shall also allocate sufficient time to the Special Effects Pyrotechnic Operator to prepare for the transportation, parking, storing, securing daily, discharging, disposing of, or otherwise handling of fireworks, pyrotechnic devices, or materials in a sane manner. Upon completion of firing, no unauthorized person shall be permitted access to the firing area until the licensed pyrotechnic operator has determined the area to be safe and secure.

NOTICE: The permittee and production company shall be advised that this permit in no way removes or modifies their responsibility to comply with any other applicable laws or ordinances, including those relating to excessive noise.

57.105.8 THE CHIEF SHALL HAVE THE POWER TO REVOKE OR SUSPEND ANY SPECIAL PERMIT UPON VIOLATION OF THE TERMS AND CONDITIONS IN ACCORDANCE WITH PROVISIONS OF SECTION 57.105.5 OF THE LOS ANGELES MUNICIPAL CODE.

SUBJECT TO FIELD INSPECTION NO DEVIATION WITHOUT WRITTEN PERMISSION

TEMPORARY FROM

12/6/2019 TO

Fire Chief
By: OWENS
Phone: 213 978-3670

lafd:rev 2/2017

NOT A PERMIT